

BATTLETECH™

OMNIMECH RECORD SHEET

MECH DATA

Type: Mad Cat (Timber Wolf) M

Movement Points: **Tonnage:** 75
 Walking: 5 **Tech Base:** Clan
 Running: 8 **Rules Level:** Standard
 Jumping: 0 **Role:** Brawler
 Engine Type: 375 XL

Weapons & Equipment Inventory

| Qty | Type | Loc | Ht | Dmg | Min | Sht | Med | Lng |
|-----|-------------------|-----|----|---------------|-----|-----|-----|-----|
| 1 | ER PPC | LA | 15 | 15 [DE] | — | 7 | 14 | 23 |
| 1 | ER PPC | RA | 15 | 15 [DE] | — | 7 | 14 | 23 |
| 1 | Large Pulse Laser | LT | 10 | 10 [P] | — | 6 | 14 | 20 |
| 2 | LRM 5 | LT | 2 | 1/Msl [M,C,S] | — | 7 | 14 | 21 |
| 2 | LRM 5 | RT | 2 | 1/Msl [M,C,S] | — | 7 | 14 | 21 |
| 1 | Heavy Flamer | CT | 5 | 4 [DE,H,AI] | — | 2 | 3 | 4 |

Ammo: (Heavy Flamer) 10, (LRM 5) 48

BV: 2,682



WARRIOR DATA


Name: _____
 Gunnery Skill: _____ Piloting Skill: _____
 Hits Taken

| | | | | | |
|---|---|---|----|----|------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 3 | 5 | 7 | 10 | 11 | Dead |

Consciousness #


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow

| |
|-----|
| 30* |
| 29 |
| 28* |
| 27 |
| 26* |
| 25* |
| 24* |
| 23* |
| 22* |
| 21 |
| 20* |
| 19* |
| 18* |
| 17* |
| 16 |
| 15* |
| 14* |
| 13* |
| 12 |
| 11 |
| 10* |
| 9 |
| 8* |
| 7 |
| 6 |
| 5* |
| 4 |
| 3 |
| 2 |
| 1 |
| 0 |

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- ER PPC
- ER PPC
- Ferro-Fibrous
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso (CASE)

- XL Fusion Engine
- XL Fusion Engine
- Large Pulse Laser
- Large Pulse Laser
- LRM 5
- LRM 5

1-3

- Ammo (LRM 5) 24
- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

Head

- Life Support
- Sensors
- Cockpit
- Ferro-Fibrous
- Sensors
- Life Support

1-3

Center Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Gyro
- Gyro
- Gyro

4-6

- Gyro
- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Heavy Flamer
- Endo Steel

Engine Hits ○○○○
 Gyro Hits ○○○○
 Sensor Hits ○○○○
 Life Support ○

Right Arm

- Shoulder
- Upper Arm Actuator
- ER PPC
- ER PPC
- Ferro-Fibrous
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso (CASE)

- XL Fusion Engine
- XL Fusion Engine
- Double Heat Sink
- Double Heat Sink
- LRM 5
- LRM 5


1-3

- Ammo (Heavy Flamer) 10
- Ammo (LRM 5) 24
- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous
- Roll Again

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel



Damage Transfer Diagram

HEAT DATA

| Heat Level* | Effects | Double Heat Sinks: 16 (32) |
|-------------|------------------------|----------------------------|
| 30 | Shutdown | ○○○○○○○○○○○○○○○○○○○○ |
| 28 | Ammo Exp, avoid on 8+ | ○○○○○○○○○○○○○○○○○○○○ |
| 26 | Shutdown, avoid on 10+ | ○○○○○○○○○○○○○○○○○○○○ |
| 25 | -5 Movement Points | ○○○○○○○○○○○○○○○○○○○○ |
| 24 | +4 Modifier to Fire | ○○○○○○○○○○○○○○○○○○○○ |
| 23 | Ammo Exp, avoid on 6+ | ○○○○○○○○○○○○○○○○○○○○ |
| 22 | Shutdown, avoid on 8+ | ○○○○○○○○○○○○○○○○○○○○ |
| 20 | -4 Movement Points | ○○○○○○○○○○○○○○○○○○○○ |
| 19 | Ammo Exp, avoid on 4+ | ○○○○○○○○○○○○○○○○○○○○ |
| 18 | Shutdown, avoid on 6+ | ○○○○○○○○○○○○○○○○○○○○ |
| 17 | +3 Modifier to Fire | ○○○○○○○○○○○○○○○○○○○○ |
| 15 | -3 Movement Points | ○○○○○○○○○○○○○○○○○○○○ |
| 14 | Shutdown, avoid on 4+ | ○○○○○○○○○○○○○○○○○○○○ |
| 13 | +2 Modifier to Fire | ○○○○○○○○○○○○○○○○○○○○ |
| 10 | -2 Movement Points | ○○○○○○○○○○○○○○○○○○○○ |
| 8 | +1 Modifier to Fire | ○○○○○○○○○○○○○○○○○○○○ |
| 5 | -1 Movement Points | ○○○○○○○○○○○○○○○○○○○○ |